



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/982,395

10/18/2001

Arild E. Skjolsvold

MS1-2624US

7192

22801

7590

08/18/2006

LEE & HAYES PLLC

421 W RIVERSIDE AVENUE SUITE 500

SPOKANE, WA 99201

EXAMINER

BONSHOCK, DENNIS G

ART UNIT

PAPER NUMBER

2173

DATE MAILED: 08/18/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/982,395	Applicant(s) SKJOLSVOLD, ARILD E.	
	Examiner Dennis G. Bonshock	Art Unit 2173	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 June 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11, 13-15 and 17-28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-11, 13-15, and 17-28 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Non-Final Rejection

Response to Amendment

1. It is hereby acknowledged that the following papers have been received and placed on record in the file: Amendment as received on 6-14-2006.

2. Claims 1-39 have been examined.

Status of Claims:

3. Claims 1-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Parker et al., Patent #5,781,720, hereinafter Parker.

4. Claims 7-11, 13-15, and 17-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Parker et al., Patent #5,781,720, hereinafter Parker and Singh et al., Patent #6,415,396, hereinafter Singh.

5. Claims 12, 16, and 29-39 have been cancelled by the applicant.

Claim Rejections - 35 USC § 112

6. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

7. Claims 1, 13, and 22 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the

invention. Specifically, support can not be seen in the specification for updating the association between an executable feature and a graphics element.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Parker et al., Patent #5,781,720, hereinafter Parker.

3. With regard to claim 1, Parker teaches a system that does automated testing of a GUI environment, through the generation of a mapping between GUI objects and their functions (see column 4, lines 1-26, column 16, line 53 through column 17, line 12, column 25, lines 4-8 and column 9, lines 50-67), the executing of an executable feature of the Logical Screen Element (LSE) (see column 4, lines 39-45), a LSE Manager that identifies locations of the LSEs (see column 10, line 1-9), and storing the information for GUI objects in tables in the GUI and in the memory (see column 12, lines 50-65, column 4, lines 39-45, and column 9, lines 11-21). Parker further teaches, in column 9, lines 50-67, the LSEM storing functions that correspond to (are mapped to) objects on the screen, and in column 12, lines 50-56, the test driver having access to the LSEM for driving the application.

To summarize and further provide a one-to-one correspondence between the claimed invention and the reference, Parker's system teaches a receiving of a function [executable feature] of a Physical Screen Element (PSE); there is then an association [mapping (see column 17, lines 2-7)] made with a Logical Screen Element (LSE) of the generic script, at runtime (see column 4, lines 21-26 and column 9, lines 59-64). After this element is tested (executed), the system changes which Physical Screen Element (PSE) the Logical Screen Element (LSE) is referencing [update the association] (see column 9, lines 50-67 and figure 5).

Parker doesn't explicitly state the updating of an association between a Logical Screen Element and a Physical Screen Element, but he does teach allowing "the LSEM (Logical Screen Element Manager) to create, modify and destroy specific LSEs", which makes it obvious that these elements would be reassigned to another Physical Screen Element. One would have been motivated to make such a combination because this allows the same script to be used to test several similar screen elements, ex: 10 checkboxes on the screen will be tested via the same basic test routine.

4. With regard to claim 2, which teaches a system in which selection of an executable feature exposes a second graphic feature that is then treated the same as the first, Parker teaches, in column 4, lines 50-55 and column 9, lines 9-22 and in figure 5, that when one element exposes another element the second element is processed likewise, this continues in an iterative fashion.

Art Unit: 2173

5. With regard to claim 3, which teaches the retrieving comprising capturing information pertaining to the graphic element, Parker teaches, in column 30, lines 15-19, a comparison based on captured information.

6. With regard to claim 4, which teaches that storing includes updating an indicator associated with the graphics element when an executable feature stored in association with the graphics element is executed, Parker further teaches, in column 27, lines 60-65, graphical items having a Boolean value to show if the item is currently executable. After this item is tested (executed), the system changes which Physical Screen Element (PSE) the Logical Screen Element (LSE) is referencing [update the association] (see column 9, lines 50-67 and figure 5).

7. With regard to claim 5, which teaches storing including organizing the retrieved information so that an executable feature stored in association with graphics element can be interpreted by a computer-executable application capable of accessing the retrieved information, Parker teaches, in column 12, lines 50-65, the test driver accessing the information stored in accordance with the graphical objects.

8. With regard to claim 6, which teaches storing including organizing the retrieved information such that an executable feature stored in association with the graphics element can be interpreted by a user capable of accessing the retrieved information from memory, Parker teaches, in column 12, lines 50-65, a GUI that stores all information needed for the GUI objects in tables within the GUI and in memory.

9. Claims 7-11, 13-15, and 17-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Parker et al., Patent #5,781,720, hereinafter Parker and Singh et al., Patent #6,415,396, hereinafter Singh.

10. With regard to claim 7, which teaches selecting the executable feature based on the association stored in the map data structure, Parker teaches, in column 9, lines 50-67, executable features (function) in the LSM, having corresponding user-visible elements on the screen. Parker further teaches, in column 12, lines 50-65, a GUI that stores all information needed for the GUI objects in tables within the GUI and in memory. Parker, however, doesn't specify selection techniques.

Singh teaches a system that automatically generates test sets and specifically uses regression tests (see column 3, lines 35-60), similar to that of Parker, but further explicitly points out selection techniques (updating the state in the traversal through a group of elements) used on a GUI to provide navigation through a graphical test structure (see column 3, lines 25-59, column 11, lines 13-30, and column 13, line 50 through column 14, line 9 and in figure 6). It would have been obvious to one of ordinary skill in the art, having the teachings of Parker and Singh before him at the time the invention was made to modify the system of Parker to include the selection techniques of Singh. One would have been motivated to make such a combination because Parker and Singh both automatically generate test sets and implement regression testing, Singh only further specifies a common selection technique.

11. With regard to claims 8 and 17, which teach selecting comprising (deterministically) selecting an executable feature not previously executed, Parker further teaches, in column 27, lines 60-65, graphical items having a Boolean value to show if the item is currently executable. It would be obvious having the teachings of Parker and Singh that selection could be made with respect to the Boolean value of Parker that could be controlled to only execute each item only once, similar to the systematic selection techniques (depth-first/breadth-first) of Singh.

12. With regard to claims 9, 18, and 26, which teach the selecting comprising reviewing an indicator to select an executable feature not previously executed, Parker further teaches, in column 27, lines 60-65, graphical items having a Boolean value to show if the item is currently executable. It would be obvious having the teachings of Parker and Singh that selection could be made with respect to the Boolean value of Parker that could be controlled to only execute each item only once similar to the selection techniques (depth-first/breadth-first) of Singh.

13. With regard to claims 10, 19, and 27, which teach selecting comprising (deterministically) selecting executable features in a depth-first mode of operation, Singh further teaches, in column 3, lines 47-51 and column 13, lines 50-63, reaching nodes in a hierarchical graph through the use of selection techniques applied to the graph to generate test cases, and specifically pointed out traversing a graph in a depth-first manner.

14. With regard to claims 11, 20, and 28, which teach selecting comprising (deterministically) selecting executable features in a breadth-first mode of operation,

Singh further teaches, in column 3, lines 47-51 and column 13, lines 50-63, reaching nodes in a hierarchical graph through the use of selection techniques applied to the graph to generate test cases, and specifically pointed out traversing a graph in a breadth-first manner.

15 With regard to claim 13, Parker teaches a system that does automated testing of a GUI environment, through the generation of a mapping between GUI objects and their functions (see column 4, lines 1-26, column 16, line 53 through column 17, line 12, column 25, lines 4-8 and column 9, lines 50-67), a comparison based on captured information (see column 30, lines 15-19), the executing of an executable feature of the Logical Screen Element (LSE) (see column 4, lines 39-45), a LSE Manager that identifies locations of the LSEs (see column 10, line 1-9), and storing the information for GUI objects in tables in the GUI and in the memory (see column 12, lines 50-65, column 4, lines 39-45, and column 9, lines 11-21). Parker further teaches, in column 9, lines 50-67, the LSEM storing functions that correspond to (are mapped to) objects on the screen, and in column 12, lines 50-56, the test driver having access to the LSEM for driving the application.

To summarize and further provide a one-to-one correspondence between the claimed invention and the reference, Parker's system teaches a receiving of a function [executable feature] of a Physical Screen Element (PSE); there is then an association [mapping (see column 17, lines 2-7)] made with a Logical Screen Element (LSE) of the generic script, at runtime (see column 4, lines 21-26 and column 9, lines 59-64). After this element is tested (executed), the system changes which Physical Screen Element

(PSE) the Logical Screen Element (LSE) is referencing [update the association] (see column 9, lines 50-67 and figure 5).

Parker doesn't explicitly state the updating of an association between a Logical Screen Element and a Physical Screen Element, but he does teach allowing "the LSEM (Logical Screen Element Manager) to create, modify and destroy specific LSEs", which makes it obvious that these elements would be reassigned to another Physical Screen Element. One would have been motivated to make such a combination because this allows the same script to be used to test several similar screen elements, ex: 10 checkboxes on the screen will be tested via the same basic test routine.

Parker, however, doesn't explicitly state deterministically selecting one of the executable features stored in the map data structure. Singh teaches a system that automatically generates test sets and specifically uses regression tests (see column 3, lines 35-60), similar to that of Parker, but further explicitly points out selection techniques (systematically updating the state in the traversal through a group of elements) used on a GUI to provide navigation through a graphical test structure (see column 3, lines 25-59, column 11, lines 13-30, and column 13, line 50 through column 14, line 9 and in figure 6). It would have been obvious to one of ordinary skill in the art, having the teachings of Parker and Singh before him at the time the invention was made to modify the system of Parker to include the selection techniques of Singh. One would have been motivated to make such a combination because Parker and Singh both automatically generate test sets and implement regression testing, they only choose to do selection in different manners.

16. With regard to claim 14, which teaches the capture agent being invoked by the application driver, Parker further teaches, in column 4, lines 15-20 and in column 30, lines 15-19, a comparison based on captured information executed by a test driver on the application program.

17. With regard to claim 15, which teaches the capture agent submitting retrieved information to the application driver, Parker further teaches, in column 4, lines 15-20 and in column 30, lines 15-19, a comparison based on captured information executed by a test driver on the application program.

18. With regard to claims 21 and 25, which teach that storing includes updating an indicator associated with the graphics element when an executable feature stored in association with the graphics element is executed, Parker further teaches, in column 27, lines 60-65, graphical items having a Boolean value to show if the item is currently executable. After this item is tested (executed), the system changes which Physical Screen Element (PSE) the Logical Screen Element (LSE) is referencing [update the association] (see column 9, lines 50-67 and figure 5).

19. With regard to claim 22, Parker teaches a system that does automated testing of a GUI environment, through the generation of a mapping between GUI objects and their functions (see column 4, lines 1-26, column 16, line 53 through column 17, line 12, column 25, lines 4-8 and column 9, lines 50-67), the executing of an executable feature of the Logical Screen Element (LSE) (see column 4, lines 39-45), a LSE Manager that identifies locations of the LSEs (see column 10, line 1-9), and storing the information for GUI objects in tables in the GUI and in the memory (see column 12, lines 50-65, column

4, lines 39-45, and column 9, lines 11-21). Parker further teaches, in column 9, lines 50-67, the LSEM storing functions that correspond to (are mapped to) objects on the screen, and in column 12, lines 50-56, the test driver having access to the LSEM for driving the application.

To summarize and further provide a one-to-one correspondence between the claimed invention and the reference, Parker's system teaches a receiving of a function [executable feature] of a Physical Screen Element (PSE); there is then an association [mapping (see column 17, lines 2-7)] made with a Logical Screen Element (LSE) of the generic script, at runtime (see column 4, lines 21-26 and column 9, lines 59-64). After this element is tested (executed), the system changes which Physical Screen Element (PSE) the Logical Screen Element (LSE) is referencing [update the association] (see column 9, lines 50-67 and figure 5).

Parker doesn't explicitly state the updating of an association between a Logical Screen Element and a Physical Screen Element, but he does teach allowing "the LSEM (Logical Screen Element Manager) to create, modify and destroy specific LSEs", which makes it obvious that these elements would be reassigned to another Physical Screen Element. One would have been motivated to make such a combination because this allows the same script to be used to test several similar screen elements, ex: 10 checkboxes on the screen will be tested via the same basic test routine.

Parker further teaches graphical items having a Boolean value to show if the item is currently executable (see column 27, lines 60-65) but doesn't explicitly state selecting one of the executable features that has not been previously executed. Singh teaches a

system that automatically generates test sets and specifically uses regression tests (see column 3, lines 35-60), similar to that of Parker, but further explicitly points out selection techniques (systematically updating the state in the traversal through a group of elements) used on a GUI to provide navigation through a graphical test structure to provide optimal use of time (see column 3, lines 25-59, column 11, lines 13-30, and column 13, line 50 through column 14, line 9 and in figure 6), specifying depth-first and breadth-first navigation which is known in the art to navigate to each of the extremes only once. It would be obvious having the teachings of Parker and Singh that selection could be made with respect to the Boolean value of Parker that could be controlled to only execute each item only once, similar to the systematic selection techniques (depth-first/breadth-first) of Singh; and to modify the system of Parker to include the selection techniques of Singh. One would have been motivated to make such a combination because Parker and Singh both automatically generate test sets and implement regression testing, they only choose to do selection in different manners.

20. With regard to claim 23, which teaches a system in which selection of an executable feature exposes a second graphic feature that is then treated the same as the first, Parker teaches, in column 4, lines 50-55 and column 9, lines 9-22 and in figure 5, that when one element exposes another element the second element is processed likewise, this continues in an iterative fashion.

21. With regard to claim 24, which teaches the retrieving comprising capturing information pertaining to the graphic element, Parker teaches, in column 30, lines 15-19, a comparison based on captured information.

Response to Arguments

22. The arguments filed on 6-14-2006 have been fully considered but they are not persuasive. Reasons set forth below.

23. The applicants' argue that the references don't teach the determination of what features are tested being determined automatically during the testing of the target application.

24. In response to applicant's argument Parker teaches in column 4, lines 21-26, column 15, lines 28-32, and in column 17, lines 2-12, the system using a generic script which at the time of execution, references to logical objects, in the script, are translated to a form that allows identification of actual elements. This shows this developed mapping is not done until runtime.

25. The applicants' again argue that the test script is not dynamic during the testing process.

26. In response to applicant's argument, and in addition the runtime assigning of actual elements to the scrip, the examiner respectfully submits that Parker teaches in figure 5, an iterative process of testing where each time through the cycle, new logical elements are assigned to specific actual values [420].

27. The applicants' argue that the test tool is not the testing script and no modification of the testing script occurs as a result of the actions taken by the test tool.

28. In response to applicant's argument the examiner respectfully submits that Parker teaches, in column 4, lines 21-26 and column 15, lines 28-32, at the time of execution the text executive and the test driver take references to logical objects in the script and translate them into a form that allows them to query actual graphical objects. Furthermore, Parker teaches, in figure 5, an iterative process of the test tool where each time through the cycle, new logical elements are assigned to specific actual values [420].

29. The applicants' argue that there is no suggestion or motivation to combine the references.

30. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, the examiner respectfully submits that both teach systems that automatically generates test sets and specify regression tests, they only choose to do selection in different manners. Singh further teaches the testing of features that would be visually displayed to the user in an ATM (as in column 6, lines 21-37), similar to the testing of a GUI of Parker.


Conclusion

31. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dennis G. Bonshock whose telephone number is (571) 272-4047. The examiner can normally be reached on Monday - Friday, 6:30 a.m. - 4:00 p.m.

32. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kristine Kincaid can be reached on (571) 272-4063. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

33. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

8-10-06
dgb


RAYMOND J. BAYERL
PRIMARY EXAMINER
ART UNIT 2173